



## **CAMLOCKS**

**(Aluminium and Grd 316 Stainless Steel NPT  
Adaptors and Crimp hose tails)**

## CAMLOCKS

### (Aluminium and Grd 316 Stainless Steel NPT Adaptors and Crimp hose tails)

Aluminium Camlock Coupling Assembled with Brass Handle, Steel Pin, Safety Pin, Ring  
SS316 Camlock Coupling Assembled with SS304 Handle, SS304 Pin, Safety Pin, Ring.

#### CHEMICAL COMPOSITION %

| ALUMINIUM A356 | Si%     | Fe%  | Cu%  | Mg%       | Mn%  | Zn%  | Ti%  | Sn%   | Pb%   | Ni%   | Ca%   | Cr%   | Impurities % |
|----------------|---------|------|------|-----------|------|------|------|-------|-------|-------|-------|-------|--------------|
|                | 6.5-7.5 | ≤0.2 | ≤0.2 | 0.25-0.45 | ≤0.1 | ≤0.1 | ≤0.2 | ≤0.05 | ≤0.05 | ≤0.05 | ≤0.05 | ≤0.05 | ≤0.1         |

#### CHEMICAL COMPOSITION %

| SS316 | C     | St   | Mn   | P      | S     | Cr    | Mo  | Ni      |
|-------|-------|------|------|--------|-------|-------|-----|---------|
|       | ≤0.08 | ≤1.5 | ≤1.5 | ≤0.045 | ≤0.04 | 16-18 | 2-3 | 10.0-14 |

#### CHEMICAL COMPOSITION

| BRASS 57-3 | Cu%       | Fe%  | Pb%     | Ni%  |
|------------|-----------|------|---------|------|
|            | 56.5-58.5 | ≤0.9 | 2.0-3.0 | ≤0.5 |

#### WORKING PRESSURES

| SIZE      | MATERIAL          | RESULT |
|-----------|-------------------|--------|
| 1/2"-2"   |                   | 250psi |
| 2-1/2"-3" | Aluminium, Brass. | 150psi |
| 4"        | Stainless Steel   | 100psi |
| 5"-6"     |                   | 75psi  |

| ALUMINIUM      | STAINLESS STEEL (GRD 316) | DESCRIPTION                                | PART A                                                                                |
|----------------|---------------------------|--------------------------------------------|---------------------------------------------------------------------------------------|
| OGA-AL-050     | OGA-316-012               | 1/2" Male adapter x 1/2" Female thread     |  |
| OGA-AL-075     | OGA-316-075               | 3/4" Male adapter x 3/4" Female thread     |                                                                                       |
| OGA-AL-100     | OGA-316-100               | 1" Male adapter x 1" Female thread         |                                                                                       |
| OGA-AL-125     | OGA-316-125               | 1-1/4" Male adapter x 1-1/4" Female thread |                                                                                       |
| OGA-AL-150     | OGA-316-150               | 1-1/2" Male adapter x 1-1/2" Female thread |                                                                                       |
| OGA-AL-200     | OGA-316-200               | 2" Male adapter x 2" Female thread         |                                                                                       |
| OGA-AL-250     | OGA-316-250               | 2-1/2" Male adapter x 2-1/2" Female thread |                                                                                       |
| OGA-AL-300     | OGA-316-300               | 3" Male adapter x 3" Female thread         |                                                                                       |
| OGA-AL-400     | OGA-316-400               | 4" Male adapter x 4" Female thread         |                                                                                       |
| OGA-AL-500     | OGA-316-500               | 5" Male adapter x 5" Female thread         |                                                                                       |
| OGA-AL-600     | OGA-316-600               | 6" Male adapter x 6" Female thread         |                                                                                       |
| OGA-AL-800-DIX | -                         | 8" Male adapter x 8" Female thread (DIXON) |                                                                                       |
| OGA-AL-800-PT  | -                         | 8" Male adapter x 8" Female thread (PT)    |                                                                                       |

## CAMLOCKS

### (Aluminium and Grd 316 Stainless Steel NPT Adaptors and Crimp hose tails)

| ALUMINIUM      | STAINLESS STEEL (GRD 316) | DESCRIPTION                         | PART B                                                                               |
|----------------|---------------------------|-------------------------------------|--------------------------------------------------------------------------------------|
| OGB-AL-050     | OGB-316-012               | 1/2" Coupler x 1/2" Male thread     |  |
| OGB-AL-075     | OGB-316-075               | 3/4" Coupler x 3/4" Male thread     |                                                                                      |
| OGB-AL-100     | OGB-316-100               | 1" Coupler x 1" Male thread         |                                                                                      |
| OGB-AL-125     | OGB-316-125               | 1-1/4" Coupler x 1-1/4" Male thread |                                                                                      |
| OGB-AL-150     | OGB-316-150               | 1-1/2" Coupler x 1-1/2" Male thread |                                                                                      |
| OGB-AL-200     | OGB-316-200               | 2" Coupler x 2" Male thread         |                                                                                      |
| OGB-AL-250     | OGB-316-250               | 2-1/2" Coupler x 2-1/2" Male thread |                                                                                      |
| OGB-AL-300     | OGB-316-300               | 3" Coupler x 3" Male thread         |                                                                                      |
| OGB-AL-400     | OGB-316-400               | 4" Coupler x 4" Male thread         |                                                                                      |
| OGB-AL-500     | OGB-316-500               | 5" Coupler x 5" Male thread         |                                                                                      |
| OGB-AL-600     | OGB-316-600               | 6" Coupler x 6" Male thread         |                                                                                      |
| OGB-AL-800-DIX | -                         | 8" Coupler x 8" Male thread (DIXON) |                                                                                      |
| OGB-AL-800-PT  | -                         | 8" Coupler x 8" Male thread (PT)    |                                                                                      |

| ALUMINIUM      | STAINLESS STEEL (GRD 316) | DESCRIPTION                           | PART D                                                                                |
|----------------|---------------------------|---------------------------------------|---------------------------------------------------------------------------------------|
| OGD-AL-050     | OGD-316-012               | 1/2" Coupler x 1/2" Female Thread     |  |
| OGD-AL-075     | OGD-316-075               | 3/4" Coupler x 3/4" Female Thread     |                                                                                       |
| OGD-AL-100     | OGD-316-100               | 1" Coupler x 1" Female Thread         |                                                                                       |
| OGD-AL-125     | OGD-316-125               | 1-1/4" Coupler x 1-1/4" Female Thread |                                                                                       |
| OGD-AL-150     | OGD-316-150               | 1-1/2" Coupler x 1-1/2" Female Thread |                                                                                       |
| OGD-AL-200     | OGD-316-200               | 2" Coupler x 2" Female Thread         |                                                                                       |
| OGD-AL-250     | OGD-316-250               | 2-1/2" Coupler x 2-1/2" Female Thread |                                                                                       |
| OGD-AL-300     | OGD-316-300               | 3" Coupler x 3" Female Thread         |                                                                                       |
| OGD-AL-400     | OGD-316-400               | 4" Coupler x 4" Female Thread         |                                                                                       |
| OGD-AL-500     | OGD-316-500               | 5" Coupler x 5" Female Thread         |                                                                                       |
| OGD-AL-600     | OGD-316-600               | 6" Coupler x 6" Female Thread         |                                                                                       |
| OGD-AL-800-DIX | -                         | 8" Coupler x 8" Female Thread (DIXON) |                                                                                       |
| OGD-AL-800-PT  | -                         | 8" Coupler x 8" Female Thread (PT)    |                                                                                       |

## CAMLOCKS

### (Aluminium and Grd 316 Stainless Steel NPT Adaptors and Crimp hose tails)

| ALUMINIUM       | STAINLESS STEEL (GRD 316) | DESCRIPTION                                                            | PART C (MACHINED TAIL FOR CRIMPING)                                                  |
|-----------------|---------------------------|------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| OGC-AL-075C     | OGC-316-075C              | 3/4" Coupler x 3/4" Multi Barbs Crimping Hose Shank With Machining     |  |
| OGC-AL-100C     | OGC-316-100C              | 1" Coupler x 1" Multi Barbs Crimping Hose Shank With Machining         |                                                                                      |
| OGC-AL-125C     | OGC-316-125C              | 1-1/4" Coupler x 1-1/4" Multi Barbs Crimping Hose Shank With Machining |                                                                                      |
| OGC-AL-150C     | OGC-316-150C              | 1-1/2" Coupler x 1-1/2" Multi Barbs Crimping Hose Shank With Machining |                                                                                      |
| OGC-AL-200C     | OGC-316-200C              | 2" Coupler x 2" Multi Barbs Crimping Hose Shank With Machining         |                                                                                      |
| OGC-AL-250C     | OGC-316-250C              | 2-1/2" Coupler x 2-1/2" Multi Barbs Crimping Hose Shank With Machining |                                                                                      |
| OGC-AL-300C     | OGC-316-300C              | 3" Coupler x 3" Multi Barbs Crimping Hose Shank With Machining         |                                                                                      |
| OGC-AL-400C     | OGC-316-400C              | 4" Coupler x 4" Multi Barbs Crimping Hose Shank With Machining         |                                                                                      |
| OGC-AL-500C     | OGC-316-500C              | 5" Coupler x 5" Multi Barbs Crimping Hose Shank With Machining         |                                                                                      |
| OGC-AL-600C     | OGC-316-600C              | 6" Coupler x 6" Multi Barbs Crimping Hose Shank With Machining         |                                                                                      |
| OGC-AL-800C-DIX | -                         | 8" Coupler x 8" Multi Barbs Crimping Hose Shank With Machining (DIXON) |                                                                                      |
| OGC-AL-800C-PT  | -                         | 8" Coupler x 8" Multi Barbs Crimping Hose Shank With Machining (PT)    |                                                                                      |

## CAMLOCKS

### (Aluminium and Grd 316 Stainless Steel NPT Adaptors and Crimp hose tails)

| ALUMINIUM        | STAINLESS STEEL (GRD 316) | DESCRIPTION                                                            | PART E (MACHINED TAIL FOR CRIMPING)                                                  |
|------------------|---------------------------|------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| E-75M-AL         | OGE-316-075C              | 3/4" Adapter x 3/4" Multi Barbs Crimping Hose Shank With Machining     |  |
| E-100M-AL        | OGE-316-100C              | 1" Adapter x 1" Multi Barbs Hose Crimping Shank With Machining         |                                                                                      |
| E-125M-AL        | OGE-316-125C              | 1-1/4" Adapter x 1-1/4" Multi Barbs Crimping Hose Shank With Machining |                                                                                      |
| E-150M-AL        | OGE-316-150C              | 1-1/2" Adapter x 1-1/2" Multi Barbs Crimping Hose Shank With Machining |                                                                                      |
| E-200M-AL        | OGE-316-200C              | 2" Adapter x 2" Multi Barbs Crimping Hose Shank With Machining         |                                                                                      |
| E-250M-AL        | OGE-316-250C              | 2-1/2" Adapter x 2-1/2" Multi Barbs Crimping Hose Shank With Machining |                                                                                      |
| E-300M-AL        | OGE-316-300C              | 3" Adapter x 3" Multi Barbs Crimping Hose Shank With Machining         |                                                                                      |
| E-400M-AL        | OGE-316-400C              | 4" Adapter x 4" Multi Barbs Crimping Hose Shank With Machining         |                                                                                      |
| E-500M-AL        | OGE-316-500C              | 5" Adapter x 5" Multi Barbs Crimping Hose Shank With Machining         |                                                                                      |
| E-600M-AL        | OGE-316-600C              | 6" Adapter x 6" Multi Barbs Crimping Hose Shank With Machining         |                                                                                      |
| C-800M-AL(DIXON) | -                         | 8" Adapter x 8" Multi Barbs Crimping Hose Shank With Machining (DIXON) |                                                                                      |
| C-800M-AL(PT)    | -                         | 8" Adapter x 8" Multi Barbs Crimping Hose Shank With Machining (PT)    |                                                                                      |

## CAMLOCKS

### (Aluminium and Grd 316 Stainless Steel NPT Adaptors and Crimp hose tails)

| ALUMINIUM      | STAINLESS STEEL (GRD 316) | DESCRIPTION                         | PART F                                                                               |
|----------------|---------------------------|-------------------------------------|--------------------------------------------------------------------------------------|
| OGF-AL-050     | OGF-316-012               | 1/2" Adapter x 1/2" Male Thread     |  |
| OGF-AL-075     | OGF-316-075               | 3/4" Adapter x 3/4" Male Thread     |                                                                                      |
| OGF-AL-100     | OGF-316-100               | 1" Adapter x 1" Male Thread         |                                                                                      |
| OGF-AL-125     | OGF-316-125               | 1-1/4" Adapter x 1-1/4" Male Thread |                                                                                      |
| OGF-AL-150     | OGF-316-150               | 1-1/2" Adapter x 1-1/2" Male Thread |                                                                                      |
| OGF-AL-200     | OGF-316-200               | 2" Adapter x 2" Male Thread         |                                                                                      |
| OGF-AL-250     | OGF-316-250               | 2-1/2" Adapter x 2-1/2" Male Thread |                                                                                      |
| OGF-AL-300     | OGF-316-300               | 3" Adapter x 3" Male Thread         |                                                                                      |
| OGF-AL-400     | OGF-316-400               | 4" Adapter x 4" Male Thread         |                                                                                      |
| OGF-AL-500     | OGF-316-500               | 5" Adapter x 5" Male Thread         |                                                                                      |
| OGF-AL-600     | OGF-316-600               | 6" Adapter x 6" Male Thread         |                                                                                      |
| OGF-AL-800-DIX | -                         | 8" Adapter x 8" Male Thread (DIXON) |                                                                                      |
| OGF-AL-800-PT  | -                         | 8" Adapter x 8" Male Thread (PT)    |                                                                                      |

| ALUMINIUM       | STAINLESS STEEL (GRD 316) | DESCRIPTION         | PART DC                                                                               |
|-----------------|---------------------------|---------------------|---------------------------------------------------------------------------------------|
| OGDC-AL-050     | OGDC-316-012              | 1/2" Dust Cap       |  |
| OGDC-AL-075     | OGDC-316-075              | 3/4" Dust Cap       |                                                                                       |
| OGDC-AL-100     | OGDC-316-100              | 1" Dust Cap         |                                                                                       |
| OGDC-AL-125     | OGDC-316-125              | 1-1/4" Dust Cap     |                                                                                       |
| OGDC-AL-150     | OGDC-316-150              | 1-1/2" Dust Cap     |                                                                                       |
| OGDC-AL-200     | OGDC-316-200              | 2" Dust Cap         |                                                                                       |
| OGDC-AL-250     | OGDC-316-250              | 2-1/2" Dust Cap     |                                                                                       |
| OGDC-AL-300     | OGDC-316-300              | 3" Dust Cap         |                                                                                       |
| OGDC-AL-400     | OGDC-316-400              | 4" Dust Cap         |                                                                                       |
| OGDC-AL-500     | OGDC-316-500              | 5" Dust Cap         |                                                                                       |
| OGDC-AL-600     | OGDC-316-600              | 6" Dust Cap         |                                                                                       |
| OGDC-AL-800-DIX | -                         | 8" Dust Cap (DIXON) |                                                                                       |
| OGDC-AL-800-PT  | -                         | 8" Dust Cap (PT)    |                                                                                       |

## CAMLOCKS

### (Aluminium and Grd 316 Stainless Steel NPT Adaptors and Crimp hose tails)

| ALUMINIUM       | STAINLESS STEEL (GRD 316) | DESCRIPTION          | PART DP                                                                              |
|-----------------|---------------------------|----------------------|--------------------------------------------------------------------------------------|
| OGDP-AL-050     | OGDP-316-012              | 1/2" Dust Plug       |  |
| OGDP-AL-075     | OGDP-316-075              | 3/4" Dust Plug       |                                                                                      |
| OGDP-AL-100     | OGDP-316-100              | 1" Dust Plug         |                                                                                      |
| OGDP-AL-125     | OGDP-316-125              | 1-1/4" Dust Plug     |                                                                                      |
| OGDP-AL-150     | OGDP-316-150              | 1-1/2" Dust Plug     |                                                                                      |
| OGDP-AL-200     | OGDP-316-200              | 2" Dust Plug         |                                                                                      |
| OGDP-AL-250     | OGDP-316-250              | 2-1/2" Dust Plug     |                                                                                      |
| OGDP-AL-300     | OGDP-316-300              | 3" Dust Plug         |                                                                                      |
| OGDP-AL-400     | OGDP-316-400              | 4" Dust Plug         |                                                                                      |
| OGDP-AL-500     | OGDP-316-500              | 5" Dust Plug         |                                                                                      |
| OGDP-AL-600     | OGDP-316-600              | 6" Dust Plug         |                                                                                      |
| OGDP-AL-800-DIX | -                         | 8" Dust Plug (DIXON) |                                                                                      |
| OGDP-AL-800-PT  | -                         | 8" Dust Plug (PT)    |                                                                                      |

| ALUMINIUM   | STAINLESS STEEL (GRD 316) | DESCRIPTION                           | PART LA                                                                               |
|-------------|---------------------------|---------------------------------------|---------------------------------------------------------------------------------------|
| OGLA-AL-200 | -                         | 51NB MALE CAMLOCK X 150# FLANGE ALUM  |  |
| OGLA-AL-300 | -                         | 76NB MALE CAMLOCK X 150# FLANGE ALUM  |                                                                                       |
| OGLA-AL-400 | -                         | 102NB MALE CAMLOCK X 150# FLANGE ALUM |                                                                                       |
| OGLA-AL-600 | -                         | 152NB MALE CAMLOCK X 150# FLANGE ALUM |                                                                                       |
| OGLA-AL-800 | -                         | 203NB MALE CAMLOCK X 150# FLANGE ALUM |                                                                                       |

| ALUMINIUM     | STAINLESS STEEL (GRD 316) | DESCRIPTION                             | PART LB                                                                               |
|---------------|---------------------------|-----------------------------------------|---------------------------------------------------------------------------------------|
| OGLB-AL-400-4 | -                         | 102NB FEM CAMLOCK X 150# FLg ALUM 4 arm |  |
| OGLB-AL-600-4 | -                         | 152NB FEM CAMLOCK X 150# FLg ALUM 4 arm |                                                                                       |

## CAMLOCKS

### (Aluminium and Grd 316 Stainless Steel NPT Adaptors and Crimp hose tails)

| ALUMINIUM   | STAINLESS STEEL (GRD 316) | DESCRIPTION                            | PART A (REDUCER)                                                                    |
|-------------|---------------------------|----------------------------------------|-------------------------------------------------------------------------------------|
| OGA-AL-2015 | -                         | 2" male adapter x 1-1/2" Female thread |  |
| OGA-AL-2030 | -                         | 2" male adapter x 3" Female thread     |                                                                                     |
| OGA-AL-3020 | -                         | 3" male adapter x 2" Female thread     |                                                                                     |
| OGA-AL-3040 | -                         | 3" male adapter x 4" Female thread     |                                                                                     |
| OGA-AL-4030 | -                         | 4" male adapter x 3" Female thread     |                                                                                     |
| OGA-AL-4060 | -                         | 4" male adapter x 6" Female thread     |                                                                                     |
| OGA-AL-6040 | -                         | 6" male adapter x 4" Female thread     |                                                                                     |

| ALUMINIUM   | STAINLESS STEEL (GRD 316) | DESCRIPTION                     | PART B (REDUCER)                                                                      |
|-------------|---------------------------|---------------------------------|---------------------------------------------------------------------------------------|
| OGB-AL-1525 | -                         | 1-1/2" Coupler x 1" Male thread |  |
| OGB-AL-5015 | -                         | 2" Coupler x 1-1/2" Male thread |                                                                                       |
| OGB-AL-3020 | -                         | 3" Coupler x 2" Male thread     |                                                                                       |
| OGB-AL-3040 | -                         | 3" Coupler x 4" Male thread     |                                                                                       |
| OGB-AL-4030 | -                         | 4" Coupler x 3" Male thread     |                                                                                       |

| ALUMINIUM   | STAINLESS STEEL (GRD 316) | DESCRIPTION                        | PART C (REDUCER)                                                                      |
|-------------|---------------------------|------------------------------------|---------------------------------------------------------------------------------------|
| OGC-AL-2015 | -                         | 2" Coupler x 1-1/2" Hose Shank     |  |
| OGC-AL-2515 | -                         | 2-1/2" Coupler x 1-1/2" Hose Shank |                                                                                       |
| OGC-AL-3020 | -                         | 3" Coupler x 2" Hose Shank         |                                                                                       |
| -           | OGC-316-3025              | -                                  |                                                                                       |
| OGC-AL-3040 | -                         | 3" Coupler x 4" Hose Shank         |                                                                                       |
| OGC-AL-4030 | -                         | 4" Coupler x 3" Hose Shank         |                                                                                       |

| ALUMINIUM    | STAINLESS STEEL (GRD 316) | DESCRIPTION                       | PART D (REDUCER)                                                                      |
|--------------|---------------------------|-----------------------------------|---------------------------------------------------------------------------------------|
| OGD-AL-1510  | -                         | 1-1/2" Coupler x 1" Female Thread |  |
| OGD-AL-12015 | -                         | 2" Coupler x 1-1/2" Female Thread |                                                                                       |
| OGD-AL-3020  | -                         | 3" Coupler x 2" Female Thread     |                                                                                       |
| OGD-AL-4030  | -                         | 4" Coupler x 3" Female Thread     |                                                                                       |

## CAMLOCKS

### (Aluminium and Grd 316 Stainless Steel NPT Adaptors and Crimp hose tails)

| ALUMINIUM    | STAINLESS STEEL (GRD 316) | DESCRIPTION                 | PART DD                                                                             |
|--------------|---------------------------|-----------------------------|-------------------------------------------------------------------------------------|
| OGDD-AL-150  | -                         | 1.5" Coupler x 1.5" Coupler |  |
| OGDD-AL-200  | OGDD-316-200              | 2" Coupler x 2" Coupler     |                                                                                     |
| OGDD-AL-300  | OGDD-316-300              | 3" Coupler x 3" Coupler     |                                                                                     |
| OGDD-AL-3020 | OGDD-316-3020             | 3" Coupler x 2" Coupler     |                                                                                     |
| OGDD-AL-3040 | -                         | 3" Coupler x 4" Coupler     |                                                                                     |
| OGDD-AL-4015 | -                         | 4" Coupler x 1.5" Coupler   |                                                                                     |
| OGDD-AL-400  | -                         | 4" Coupler x 4" Coupler     |                                                                                     |

| ALUMINIUM   | STAINLESS STEEL (GRD 316) | DESCRIPTION                    | PART E (REDUCER)                                                                      |
|-------------|---------------------------|--------------------------------|---------------------------------------------------------------------------------------|
| OGE-AL-1510 | -                         | 1-1/2" Adapter x 1" Hose Shank |  |
| OGE-AL-2015 | -                         | 2" Adapter x 1-1/2" Hose Shank |                                                                                       |
| OGE-AL-2030 | -                         | 2" Adapter x 3" Hose Shank     |                                                                                       |
| OGE-AL-3020 | -                         | 3" Adapter x 2" Hose Shank     |                                                                                       |
| -           | OGE-316-3025              | 3" Adapter x 2-1/2" Hose Shank |                                                                                       |
| OGE-AL-3040 | -                         | 3" Adapter x 4" Hose Shank     |                                                                                       |
| OGE-AL-4020 | -                         | 4" Adapter x 2" Hose Shank     |                                                                                       |
| OGE-AL-4030 | -                         | 4" Adapter x 3" Hose Shank     |                                                                                       |

| ALUMINIUM   | STAINLESS STEEL (GRD 316) | DESCRIPTION                         | PART F (REDUCER)                                                                      |
|-------------|---------------------------|-------------------------------------|---------------------------------------------------------------------------------------|
| OGF-AL-1530 | -                         | 1-1/2" Adapter x 1-1/2" Male Thread |  |
| OGF-AL-2015 | -                         | 2" Adapter x 1-1/2" Male Thread     |                                                                                       |
| OGF-AL-2030 | -                         | 2" Adapter x 3" Male Thread         |                                                                                       |
| OGF-AL-3015 | -                         | 3" Adapter x 1-1/2" Male Thread     |                                                                                       |
| OGF-AL-3020 | -                         | 3" Adapter x 2" Male Thread         |                                                                                       |
| OGF-AL-3040 | -                         | 3" Adapter x 4" Male Thread         |                                                                                       |
| OGF-AL-4030 | -                         | 4" Adapter x 3" Male Thread         |                                                                                       |
| OGF-AL-4060 | -                         | 4" Adapter x 6" Male Thread         |                                                                                       |

# CAMLOCKS

## (Aluminium and Grd 316 Stainless Steel NPT Adaptors and Crimp hose tails)

| ALUMINIUM    | STAINLESS STEEL (GRD 316) | DESCRIPTION                     | PART AA                                                                              |
|--------------|---------------------------|---------------------------------|--------------------------------------------------------------------------------------|
| OGAA-AL-1010 | OGAA-316-100              | 1" adapter x 1" adapter         |  |
| OGAA-AL-1212 | -                         | 1-1/4" adapter x 1-1/4" adapter |                                                                                      |
| OGAA-AL-1515 | OGAA-316-150              | 1-1/2" adapter x 1-1/2" adapter |                                                                                      |
| OGAA-AL-1520 | -                         | 1-1/2" adapter x 2" adapter     |                                                                                      |
| OGAA-AL-200  | OGAA-316-200              | 2" adapter x 2" adapter         |                                                                                      |
| OGAA-AL-2030 | -                         | 2" adapter x 3" adapter         |                                                                                      |
| OGAA-AL-300  | OGAA-316-300              | 3" adapter x 3" adapter         |                                                                                      |
| OGAA-AL-3040 | OGAA-316-3040             | 3" adapter x 4" adapter         |                                                                                      |
| OGAA-AL-400  | OGAA-316-400              | 4" adapter x 4" adapter         |                                                                                      |
| OGAA-AL-4015 | -                         | 4" adapter x 1-1/2" adapter     |                                                                                      |
| OGAA-AL-4020 | -                         | 4" adapter x 2" adapter         |                                                                                      |
| OGAA-AL-4060 | -                         | 4" adapter x 6" adapter         |                                                                                      |
| OGAA-AL-600  | -                         | 6" adapter x 6" adapter         |                                                                                      |

| ALUMINIUM    | STAINLESS STEEL (GRD 316) | DESCRIPTION                 | PART DA                                                                               |
|--------------|---------------------------|-----------------------------|---------------------------------------------------------------------------------------|
| OGDA-AL-1510 | -                         | 1-1/2" Coupler x 1" Adapter |  |
| OGDA-AL-1520 | -                         | 1-1/2" Coupler x 2" Adapter |                                                                                       |
| OGDA-AL-2015 | -                         | 2" Coupler x 1-1/2" Adapter |                                                                                       |
| OGDA-AL-2030 | -                         | 2" Coupler x 3" Adapter     |                                                                                       |
| OGDA-AL-2040 | -                         | 2" Coupler x 4" Adapter     |                                                                                       |
| OGDA-AL-3015 | -                         | 3" Coupler x 1-1/2" Adapter |                                                                                       |
| OGDA-AL-3020 | OGDA-316-3020             | 3" Coupler x 2" Adapter     |                                                                                       |
| OGDA-AL-3040 | -                         | 3" Coupler x 4" Adapter     |                                                                                       |
| OGDA-AL-4015 | -                         | 4" Coupler x 1-1/2" Adapter |                                                                                       |
| OGDA-AL-4020 | -                         | 4" Coupler x 2" Adapter     |                                                                                       |
| OGDA-AL-4030 | OGDA-316-4030             | 4" Coupler x 3" Adapter     |                                                                                       |
| OGDA-AL-4060 | -                         | 4" Coupler x 6" Adapter     |                                                                                       |
| OGDA-AL-6040 | -                         | 6" Coupler x 4" Adapter     |                                                                                       |

## CAMLOCKS

### (Aluminium and Grd 316 Stainless Steel NPT Adaptors and Crimp hose tails)

| BRASS HANDLE<br>SS304 RING | GRD 304 SS<br>HANDLE AND RING | DESCRIPTION                                  | PART BH                                                                             |
|----------------------------|-------------------------------|----------------------------------------------|-------------------------------------------------------------------------------------|
| OGBH075                    | -                             | 1/2"-3/4" Replacement Handle +SS304 ring     |  |
| OGBH100                    | -                             | 1" Replacement Handle +SS304 ring            |                                                                                     |
| OGBH200                    | -                             | 1-1/4"-2-1/2" Replacement Handle +SS304 ring |                                                                                     |
| OGBH400                    | -                             | 3"-5" Replacement Handle +SS304 ring         |                                                                                     |
| OGBH600                    | -                             | 6" Replacement Handle +SS304 ring            |                                                                                     |
| OGBH800                    | -                             | 8" Replacement Handle +SS304 ring            |                                                                                     |

| BUNA-N RUBBER | DESCRIPTION                   | PART BH                                                                               |
|---------------|-------------------------------|---------------------------------------------------------------------------------------|
| OGCLG050      | 1/2" Camlock Gaskets Buna-N   |  |
| OGCLG075      | 3/4" Camlock Gaskets Buna-N   |                                                                                       |
| OGCLG100      | 1" Camlock Gaskets Buna-N     |                                                                                       |
| OGCLG125      | 1-1/4" Camlock Gaskets Buna-N |                                                                                       |
| OGCLG150      | 1-1/2" Camlock Gaskets Buna-N |                                                                                       |
| OGCLG200      | 2" Camlock Gaskets Buna-N     |                                                                                       |
| OGCLG250      | 2-1/2" Camlock Gaskets Buna-N |                                                                                       |
| OGCLG300      | 3" Camlock Gaskets Buna-N     |                                                                                       |
| OGCLG400      | 4" Camlock Gaskets Buna-N     |                                                                                       |
| OGCLG500      | 5" Camlock Gaskets Buna-N     |                                                                                       |
| OGCLG600      | 6" Camlock Gaskets Buna-N     |                                                                                       |
| OGCLG800      | 8" Camlock Gaskets Buna-N     |                                                                                       |

| SAFETY PIN | DESCRIPTION           | PART SP                                                                               |
|------------|-----------------------|---------------------------------------------------------------------------------------|
| OGSPSS100  | 1/2" -1" Safety Pin   |  |
| OGSPSS200  | 1-1/4" -6" Safety Pin |                                                                                       |
| OGSPSS800  | 8" Safety Pin         |                                                                                       |